Brain Research, 603 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Akai, F. and Yanagihara, T.
Identity of the dorsal hippocampal region most vulnerable to cerebral ischemia (603) 87
Akaoka, H., see Van Bockstaele, E.J. (603) 1
Alberch, J., see Arenas, E. (603) 317
Albus, H., see Meijer, J.H. (603) 284
Arenas, E., Pérez-Navarro, E., Alberch, J. and Marsal, J.
Selective resistance of tachykinin-responsive cholinergic neurons in the quinolinic acid lesioned neostriatum (603) 317
Aston-Jones, G., see Van Bockstaele, E.J. (603) 1
Augustine, J.R., Mascagni, F., McDonald, A.J. and Blake, C.A.
Immunocytochemical staining of neuropeptide Y (NPY) in the insular lobe of the monkey: a light microscopic study (603) 255
Avidor, R., see Hill, J.M. (603) 222

Babalian, A.L., see Chmykhova, N.M. (603) 289
Ban, T., see Nakajima, K. (603) 321
Bandou, Y., see Kusakabe, T. (603) 153
Bergeron, C., see Pollanen, M.S. (603) 121
Bertram III, E.H. and Lothman, E.W.
Morphometric effects of intermittent kindled seizures and limbic status epilepticus in the dentate gyrus of the rat (603) 25
Biella, G. and Sotgiu, M.L.
Central effects of systemic lidocaine mediated by glycine spinal receptors: an iontophoretic study in the rat spinal cord (603) 201
Bing, G., see Stone, E.A. (603) 181
Blake, C.A., see Augustine, J.R. (603) 255
Boje, K.M., Wong, G. and Skolnick, P.
Desensitization of the NMDA receptor complex by glycinergic ligands in cerebellar granule cell cultures (603) 207
Bouchaud, C., see Chollat-Namy, A. (603) 32
Brenneman, D.E., see Hill, J.M. (603) 222
Brooke, J.D., see Collins, D.F. (603) 96

Calder, L., see Finnegan, K.T. (603) 134
Calder, L.D., see Karler, R. (603) 19
Campbell, J.J. and Pomeranz, B.
A new method to study motoneuron regeneration using electromyograms shows that regeneration slows with age in rat sciatic nerve (603) 264
Campbell, J.J., see Pomeranz, B. (603) 271
Caruncho, H.J., Puia, G., Slobodyansky, E., Pinto da Silva, P. and Costa, E.
Freeze-fracture immunocytochemical study of the expression of native and recombinant $GABA_A$ receptors (603) 234
Ceuterick, C., see Villanova, M. (603) 343
Chang, F.-L.F., see Hawrylak, N. (603) 309
Chang, F.-L.F., Hawrylak, N. and Greenough, W.T.
Astrocytic and synaptic response to kindling in hippocampal subfield CA1. I. Synaptogenesis in response to kindling in vitro (603) 302
Chen, D., Li, Q.-T. and Lee, K.H.
Antinociceptive activity of liposome-entrapped calcitonin by systemic administration in mice (603) 139
Childers, S.R., see Pacheco, M.A. (603) 102
Chmykhova, N.M. and Babalian, A.L.
Structure of recurrent axon collaterals of frog lumbar motoneurons as revealed by intracellular HRP labelling (603) 289
Chollat-Namy, A., Delamanche, I.S. and Bouchaud, C.
Variation in the expression of c-*fos* after intoxication by soman. Comparative study using in situ hybridization and immunohistochemistry (603) 32
Clikeman, J., see Finnegan, K.T. (603) 134
Collins, D.F., McIlroy, W.E. and Brooke, J.D.
Contralateral inhibition of soleus H reflexes with different velocities of passive movement of the opposite leg (603) 96
Costa, E., see Caruncho, H.J. (603) 234
Cras, P., see Villanova, M. (603) 343
Crockett, D.P., Foschini, D.R., Girgis, W.S. and Egger, M.D.
Immunocytochemical localization of the low-affinity nerve growth factor receptor ($p75^{NGFR}$) in the cuneate nucleus of the rat and its relationship to cytochrome-oxidase activity (603) 324

Delamanche, I.S., see Chollat-Namy, A. (603) 32
Della Puppa, A., Kimes, A.S. and London, E.D.
Dose-dependent effects of D-*N*-allylnormetazocine on regional cerebral metabolic rates for glucose (603) 38
Dempesy, C.W., Richardson, D.E. and Fontana, C.J.
Cardiovascular sympathoinhibitory neurons form an extended longitudinal column in cat lateral medulla (603) 328
Doucette, T., see Duong, T. (603) 74
Doyle, C.A. and Maxwell, D.J.
Neuropeptide Y-immunoreactive terminals form axo-axonic synaptic arrangements in the substantia gelatinosa (lamina II) of the cat spinal dorsal horn (603) 157
Duong, T., Doucette, T., Zidenberg, N.A., Jacobs, R.W. and Scheibel, A.B.
Microtubule-associated proteins tau and amyloid P component in Alzheimer's disease (603) 74

Ebina, Y., see Nakajima, K. (603) 321
Egger, M.D., see Crockett, D.P. (603) 324

Faris, P.L., see Iadecola, C. (603) 173
Filer, D., see Stone, E.A. (603) 181
Finnegan, K.T., Calder, L., Clikeman, J., Wei, S. and Karler, R.
Effects of L-type calcium channel antagonists on the serotonin-depleting actions of MDMA in rats (603) 134
Finnegan, K.T., see Karler, R. (603) 19
Florack, V.J., see Watt, C.B. (603) 111
Fontana, C.J., see Dempesy, C.W. (603) 328
Foschini, D.R., see Crockett, D.P. (603) 324
Fujii, S., see Kusakabe, T. (603) 153

Gale, K., Pazos, A., Maggio, R., Japikse, K. and Pritchard, P.
Blockade of GABA receptors in superior colliculus protects against focally evoked limbic motor seizures (603) 279
Gaspar, P., Heizmann, C.W. and Kaas, J.H.
Calbindin D-28K in the dopaminergic mesocortical projection of a monkey (*Aotus trivirgatus*) (603) 166
Gean, P.-W., see Lin, J.-H. (603) 117
Girgis, W.S., see Crockett, D.P. (603) 324
Greenough, W.T., see Chang, F.-L.F. (603) 302
Greenough, W.T., see Hawrylak, N. (603) 309

Harada, K., see Nakajima, K. (603) 321
Hartman, B.K., see Iadecola, C. (603) 173
Hatase, O., see Miyamoto, O. (603) 143
Hawrylak, N., Chang, F.-L.F. and Greenough, W.T.
Astrocytic and synaptic response to kindling in hippocampal subfield CA1. II. Synaptogenesis and astrocytic process increases to in vivo kindling (603) 309
Hawrylak, N., see Chang, F.-L.F. (603) 302
Heizmann, C.W., see Gaspar, P. (603) 166
Hemmers, N.M., see Van Erp, A.M.M. (603) 296
Henry, G.H., see Wimborne, B.M. (603) 333
Hill, J.M., Mervis, R.F., Avidor, R., Moody, T.W. and Brenneman, D.E.
HIV envelope protein-induced neuronal damage and retardation of behavioral development in rat neonates (603) 222
Hoshi, Y. and Tamura, M.
Dynamic changes in cerebral oxygenation in chemically induced seizures in rats: study by near-infrared spectrophotometry (603) 215
Huber, G., Martin, J.R., Löffler, J. and Moreau, J.-L.
Involvement of amyloid precursor protein in memory formation in the rat: an indirect antibody approach (603) 348

Iadecola, C., Faris, P.L., Hartman, B.K. and Xu, X.
Localization of NADPH diaphorase in neurons of the rostral ventral medulla:

Brain Research, 603 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Akai, F. and Yanagihara, T.
Identity of the dorsal hippocampal region most vulnerable to cerebral ischemia (603) 87
Akaoka, H., see Van Bockstaele, E.J. (603) 1
Alberch, J., see Arenas, E. (603) 317
Albus, H., see Meijer, J.H. (603) 284
Arenas, E., Pérez-Navarro, E., Alberch, J. and Marsal, J.
Selective resistance of tachykinin-responsive cholinergic neurons in the quinolinic acid lesioned neostriatum (603) 317
Aston-Jones, G., see Van Bockstaele, E.J. (603) 1
Augustine, J.R., Mascagni, F., McDonald, A.J. and Blake, C.A.
Immunocytochemical staining of neuropeptide Y (NPY) in the insular lobe of the monkey: a light microscopic study (603) 255
Avidor, R., see Hill, J.M. (603) 222

Babalian, A.L., see Chmykhova, N.M. (603) 289
Ban, T., see Nakajima, K. (603) 321
Bandou, Y., see Kusakabe, T. (603) 153
Bergeron, C., see Pollanen, M.S. (603) 121
Bertram III, E.H. and Lothman, E.W.
Morphometric effects of intermittent kindled seizures and limbic status epilepticus in the dentate gyrus of the rat (603) 25
Biella, G. and Sotgiu, M.L.
Central effects of systemic lidocaine mediated by glycine spinal receptors: an iontophoretic study in the rat spinal cord (603) 201
Bing, G., see Stone, E.A. (603) 181
Blake, C.A., see Augustine, J.R. (603) 255
Boje, K.M., Wong, G. and Skolnick, P.
Desensitization of the NMDA receptor complex by glycinergic ligands in cerebellar granule cell cultures (603) 207
Bouchaud, C., see Chollat-Namy, A. (603) 32
Brenneman, D.E., see Hill, J.M. (603) 222
Brooke, J.D., see Collins, D.F. (603) 96

Calder, L., see Finnegan, K.T. (603) 134
Calder, L.D., see Karler, R. (603) 19
Campbell, J.J. and Pomeranz, B.
A new method to study motoneuron regeneration using electromyograms shows that regeneration slows with age in rat sciatic nerve (603) 264
Campbell, J.J., see Pomeranz, B. (603) 271
Caruncho, H.J., Puia, G., Slobodyansky, E., Pinto da Silva, P. and Costa, E.
Freeze-fracture immunocytochemical study of the expression of native and recombinant $GABA_A$ receptors (603) 234
Ceuterick, C., see Villanova, M. (603) 343
Chang, F.-L.F., see Hawrylak, N. (603) 309
Chang, F.-L.F., Hawrylak, N. and Greenough, W.T.
Astrocytic and synaptic response to kindling in hippocampal subfield CA1. I. Synaptogenesis in response to kindling in vitro (603) 302
Chen, D., Li, Q.-T. and Lee, K.H.
Antinociceptive activity of liposome-entrapped calcitonin by systemic administration in mice (603) 139
Childers, S.R., see Pacheco, M.A. (603) 102
Chmykhova, N.M. and Babalian, A.L.
Structure of recurrent axon collaterals of frog lumbar motoneurons as revealed by intracellular HRP labelling (603) 289
Chollat-Namy, A., Delamanche, I.S. and Bouchaud, C.
Variation in the expression of c-*fos* after intoxication by soman. Comparative study using in situ hybridization and immunohistochemistry (603) 32
Clikeman, J., see Finnegan, K.T. (603) 134
Collins, D.F., McIlroy, W.E. and Brooke, J.D.
Contralateral inhibition of soleus H reflexes with different velocities of passive movement of the opposite leg (603) 96
Costa, E., see Caruncho, H.J. (603) 234
Cras, P., see Villanova, M. (603) 343
Crockett, D.P., Foschini, D.R., Girgis, W.S. and Egger, M.D.
Immunocytochemical localization of the low-affinity nerve growth factor receptor ($p75^{NGFR}$) in the cuneate nucleus of the rat and its relationship to cytochrome-oxidase activity (603) 324

Delamanche, I.S., see Chollat-Namy, A. (603) 32
Della Puppa, A., Kimes, A.S. and London, E.D.
Dose-dependent effects of D-*N*-allylnormetazocine on regional cerebral metabolic rates for glucose (603) 38
Dempesy, C.W., Richardson, D.E. and Fontana, C.J.
Cardiovascular sympathoinhibitory neurons form an extended longitudinal column in cat lateral medulla (603) 328
Doucette, T., see Duong, T. (603) 74
Doyle, C.A. and Maxwell, D.J.
Neuropeptide Y-immunoreactive terminals form axo-axonic synaptic arrangements in the substantia gelatinosa (lamina II) of the cat spinal dorsal horn (603) 157
Duong, T., Doucette, T., Zidenberg, N.A., Jacobs, R.W. and Scheibel, A.B.
Microtubule-associated proteins tau and amyloid P component in Alzheimer's disease (603) 74

Ebina, Y., see Nakajima, K. (603) 321
Egger, M.D., see Crockett, D.P. (603) 324

Faris, P.L., see Iadecola, C. (603) 173
Filer, D., see Stone, E.A. (603) 181
Finnegan, K.T., Calder, L., Clikeman, J., Wei, S. and Karler, R.
Effects of L-type calcium channel antagonists on the serotonin-depleting actions of MDMA in rats (603) 134
Finnegan, K.T., see Karler, R. (603) 19
Florack, V.J., see Watt, C.B. (603) 111
Fontana, C.J., see Dempesy, C.W. (603) 328
Foschini, D.R., see Crockett, D.P. (603) 324
Fujii, S., see Kusakabe, T. (603) 153

Gale, K., Pazos, A., Maggio, R., Japikse, K. and Pritchard, P.
Blockade of GABA receptors in superior colliculus protects against focally evoked limbic motor seizures (603) 279
Gaspar, P., Heizmann, C.W. and Kaas, J.H.
Calbindin D-28K in the dopaminergic mesocortical projection of a monkey (*Aotus trivirgatus*) (603) 166
Gean, P.-W., see Lin, J.-H. (603) 117
Girgis, W.S., see Crockett, D.P. (603) 324
Greenough, W.T., see Chang, F.-L.F. (603) 302
Greenough, W.T., see Hawrylak, N. (603) 309

Harada, K., see Nakajima, K. (603) 321
Hartman, B.K., see Iadecola, C. (603) 173
Hatase, O., see Miyamoto, O. (603) 143
Hawrylak, N., Chang, F.-L.F. and Greenough, W.T.
Astrocytic and synaptic response to kindling in hippocampal subfield CA1. II. Synaptogenesis and astrocytic process increases to in vivo kindling (603) 309
Hawrylak, N., see Chang, F.-L.F. (603) 302
Heizmann, C.W., see Gaspar, P. (603) 166
Hemmers, N.M., see Van Erp, A.M.M. (603) 296
Henry, G.H., see Wimborne, B.M. (603) 333
Hill, J.M., Mervis, R.F., Avidor, R., Moody, T.W. and Brenneman, D.E.
HIV envelope protein-induced neuronal damage and retardation of behavioral development in rat neonates (603) 222
Hoshi, Y. and Tamura, M.
Dynamic changes in cerebral oxygenation in chemically induced seizures in rats: study by near-infrared spectrophotometry (603) 215
Huber, G., Martin, J.R., Löffler, J. and Moreau, J.-L.
Involvement of amyloid precursor protein in memory formation in the rat: an indirect antibody approach (603) 348

Iadecola, C., Faris, P.L., Hartman, B.K. and Xu, X.
Localization of NADPH diaphorase in neurons of the rostral ventral medulla:

possible role of nitric oxide in central autonomic regulation and oxygen chemoreception (603) 173
Itano, T., see Miyamoto, O. (603) 143
Ito, H., see Nakajima, K. (603) 321

Jacobs, R.W., see Duong, T. (603) 74
Janjua, N.A., see Miyamoto, O. (603) 143
Japikse, K., see Gale, K. (603) 279
John, S., see Stone, E.A. (603) 181

Kaas, J.H., see Gaspar, P. (603) 166
Karler, R., Finnegan, K.T. and Calder, L.D. Blockade of behavioral sensitization to cocaine and amphetamine by inhibitors of protein synthesis (603) 19
Karler, R., see Finnegan, K.T. (603) 134
Kawai, M., see Villanova, M. (603) 343
Kawakami, T., see Kusakabe, T. (603) 153
Kennaway, D.J. Urinary 6-sulphatoxymelatonin excretory rhythms in laboratory rats: effects of photoperiod and light (603) 338
Kessler, J.-P. Involvement of excitatory amino acids in the activity of swallowing-related neurons of the ventro-lateral medulla (603) 353
Kimes, A.S., see Della Puppa, A. (603) 38
Klug, J.M., see Norman, A.B. (603) 125
Kodama, K., see Shibata, S. (603) 248
Koga, Y., see Shibata, S. (603) 248
Kruk, M.R., see Van Erp, A.M.M. (603) 296
Kusakabe, T., Kawakami, T., Tanabe, Y., Fujii, S., Bandou, Y. and Takenaka, T. Coexistence of substance P and calcitonin gene-related peptide in the nerve fibers of the carotid labyrinth of the bullfrog, *Rana catesbeiana* (603) 153

Leah, J.D., see Lechner, J. (603) 47
Lechner, J., Leah, J.D. and Zimmermann, M. Brainstem peptidergic neurons projecting to the medial and lateral thalamus and zona incerta in the rat (603) 47
Lee, K.H., see Chen, D. (603) 139
Li, Q.-T., see Chen, D. (603) 139
Lin, J.-H., Way, L.-J. and Gean, P.-W. Pairing of pre- and postsynaptic activities in hippocampal CA1 neurons induces long-term modifications of NMDA receptor-mediated synaptic potential (603) 117
Löffler, J., see Huber, G. (603) 348
London, E.D., see Della Puppa, A. (603) 38
Lothman, E.W., see Bertram III, E.H. (603) 25
Lu, S.Y., see Norman, A.B. (603) 125
Lübke, U., see Villanova, M. (603) 343

Maggio, R., see Gale, K. (603) 279
Marsal, J., see Arenas, E. (603) 317
Martin, J.-J., see Villanova, M. (603) 343
Martin, J.R., see Huber, G. (603) 348
Mascagni, F., see Augustine, J.R. (603) 255
Matsui, H., see Miyamoto, O. (603) 143
Maxwell, D.J., see Doyle, C.A. (603) 157
McCart, R.J., see Wimborne, B.M. (603) 333
McDonald, A.J., see Augustine, J.R. (603) 255
McIlroy, W.E., see Collins, D.F. (603) 96
Meijer, J.H., Albus, H., Weidema, F. and Ravesloot, J.-H. The effects of glutamate on membrane potential and discharge rate of suprachiasmatic neurons (603) 284
Mervis, R.F., see Hill, J.M. (603) 222
Mi, Z.P., see Zhang, R.X. (603) 162
Miyahara, S., see Ochiai, H. (603) 129
Miyamoto, O., Itano, T., Yamamoto, Y., Tokuda, M., Matsui, H., Janjua, N.A., Suwaki, H., Okada, Y., Murakami, T.H., Negi, T., Nakahara, S. and Hatase, O. Effect of embryonic hippocampal transplantation in amygdaloid kindled rat (603) 143
Moody, T.W., see Hill, J.M. (603) 222
Moreau, J.-L., see Huber, G. (603) 348
Murakami, T.H., see Miyamoto, O. (603) 143

Nakahara, S., see Miyamoto, O. (603) 143
Nakajima, K., Harada, K., Ebina, Y., Yoshimura, T., Ito, H., Ban, T. and Shingai, R. Relationship between resting cytosolic Ca^{2+} and responses induced by *N*-methyl-D-aspartate in hippocampal neurons (603) 321
Narahashi, T., see Reuveny, E. (603) 64
Narita, K., Yokawa, T., Nishihara, M. and Takahashi, M. Interaction between excitatory and inhibitory amino acids in the ventromedial nucleus of the hypothalamus in inducing hyper-running (603) 243
Negi, T., see Miyamoto, O. (603) 143
Nishihara, M., see Narita, K. (603) 243
Norgren, R.B., see Norman, A.B. (603) 125
Norman, A.B., Lu, S.Y., Klug, J.M. and Norgren, R.B. Sensitization of c-*fos* expression in rat striatum following multiple challenges with D-amphetamine (603) 125

Ochiai, H., Miyahara, S. and Wakisaka, S. Developmental abnormalities of corticospinal tract neurons in prenatally irradiated rats: a study using retrograde labeling with Fast blue and intracellular Lucifer yellow staining (603) 129
Oh, S.J., see Villanova, M. (603) 343
Okada, Y., see Miyamoto, O. (603) 143
Ouichou, A., see Simonneaux, V. (603) 148

Pacheco, M.A., Ward, S.J. and Childers, S.R. Identification of cannabinoid receptors in cultures of rat cerebellar granule cells (603) 102
Pazos, A., see Gale, K. (603) 279
Pérez-Navarro, E., see Arenas, E. (603) 317
Perry, G., see Villanova, M. (603) 343
Pévet, P., see Simonneaux, V. (603) 148
Pinto da Silva, P., see Caruncho, H.J. (603) 234
Pollanen, M.S., Bergeron, C. and Weyer, L. Deposition of detergent-resistant neurofilaments into Lewy body fibrils (603) 121
Pomeranz, B. and Campbell, J.J. Weak electric current accelerates motoneuron regeneration in the sciatic nerve of ten-month-old rats (603) 271
Pomeranz, B., see Campbell, J.J. (603) 264
Porter, J.P., see Toney, G.M. (603) 57
Pritchard, P., see Gale, K. (603) 279
Puia, G., see Caruncho, H.J. (603) 234

Qiao, J.T., see Zhang, R.X. (603) 162

Randich, A., Robertson, J.D. and Willingham, T. The use of specific opioid agonists and antagonists to delineate the vagally mediated antinociceptive and cardiovascular effects of intravenous morphine (603) 186
Ravesloot, J.-H., see Meijer, J.H. (603) 284
Reuveny, E. and Narahashi, T. Two types of high voltage-activated calcium channels in SH-SY5Y human neuroblastoma cells (603) 64
Richardson, D.E., see Dempesy, C.W. (603) 328
Robertson, J.D., see Randich, A. (603) 186

Scheibel, A.B., see Duong, T. (603) 74
Shibata, S., Kodama, K., Koga, Y., Ueki, S. and Watanabe, S. Improving effect of acetylcholine receptor agonists on a deficit of 2-deoxyglucose uptake in cerebral cortical and hippocampal slices in aged and AF64A-treated rats (603) 248
Shingai, R., see Nakajima, K. (603) 321
Simonneaux, V., Ouichou, A. and Pévet, P. Pituitary adenylate cyclase-activating polypeptide (PACAP) stimulates melatonin synthesis from rat pineal gland (603) 148
Six, J., see Villanova, M. (603) 343
Skolnick, P., see Boje, K.M. (603) 207
Slobodyansky, E., see Caruncho, H.J. (603) 234
Sotgiu, M.L., see Biella, G. (603) 201
Stone, E.A., Zhang, Y., John, S., Filer, D. and Bing, G. Effect of locus coeruleus lesion on c-*fos* expression in the cerebral cortex caused by yohimbine injection or stress (603) 181
Suwaki, H., see Miyamoto, O. (603) 143

Takahashi, M., see Narita, K. (603) 243
Takenaka, T., see Kusakabe, T. (603) 153
Tamura, M., see Hoshi, Y. (603) 215
Tanabe, Y., see Kusakabe, T. (603) 153
Tokuda, M., see Miyamoto, O. (603) 143
Toney, G.M. and Porter, J.P. Functional role of brain AT1 and AT2 receptors in the central angiotensin II pressor response (603) 57

Ueki, S., see Shibata, S. (603) 248

Van Bockstaele, E.J., Akaoka, H. and Aston-Jones, G.
Brainstem afferents to the rostral (juxtafacial) nucleus paragigantocellularis: integration of exteroceptive and interoceptive sensory inputs in the ventral tegmentum (603) 1

Van Erp, A.M.M., Kruk, M.R., Van Oers, H.J.J. and Hemmers, N.M.
Differential effect of $ACTH_{1-24}$ and α-MSH induced grooming in the paraventricular nucleus of the hypothalamus (603) 296

Van Oers, H.J.J., see Van Erp, A.M.M. (603) 296

Villanova, M., Kawai, M., Lübke, U., Oh, S.J., Perry, G., Six, J., Ceuterick, C., Martin, J.-J. and Cras, P.
Rimmed vacuoles of inclusion body myositis and oculopharyngeal muscular dystrophy contain amyloid precursor protein and lysosomal markers (603) 343

Wakisaka, S., see Ochiai, H. (603) 129

Walker, R.B., see Watt, C.B. (603) 111

Ward, S.J., see Pacheco, M.A. (603) 102

Watanabe, S., see Shibata, S. (603) 248

Watt, C.B., Florack, V.J. and Walker, R.B.
Quantitative analyses of the coexistence of gamma-aminobutyric acid in substance P-amacrine cells of the larval tiger salamander retina (603) 111

Way, L.-J., see Lin, J.-H. (603) 117

Wei, S., see Finnegan, K.T. (603) 134

Weidema, F., see Meijer, J.H. (603) 284

Weyer, L., see Pollanen, M.S. (603) 121

Willingham, T., see Randich, A. (603) 186

Wimborne, B.M., McCart, R.J. and Henry, G.H.
Projections from the lateral division of the lateral posterior-pulvinar complex to area 21a and the striate cortex in the cat (603) 333

Wong, G., see Boje, K.M. (603) 207

Xie, Y.F., see Zhang, R.X. (603) 162

Xu, X., see Iadecola, C. (603) 173

Yamamoto, Y., see Miyamoto, O. (603) 143

Yanagihara, T., see Akai, F. (603) 87

Yokawa, T., see Narita, K. (603) 243

Yoshimura, T., see Nakajima, K. (603) 321

Zhang, R.X., Mi, Z.P., Xie, Y.F. and Qiao, J.T.
Morphological evidence for the activation of descending modulatory control by nociceptive afferent pathways: an immunocytochemical study (603) 162

Zhang, Y., see Stone, E.A. (603) 181

Zidenberg, N.A., see Duong, T. (603) 74

Zimmermann, M., see Lechner, J. (603) 47

Contents (continued)

Short Communications

Selective resistance of tachykinin-responsive cholinergic neurons in the quinolinic acid lesioned neostriatum
E. Arenas, E. Pérez-Navarro, J. Alberch and J. Marsal (Spain) 317

Relationship between resting cytosolic Ca^{2+} and responses induced by *N*-methyl-D-aspartate in hippocampal neurons
K. Nakajima, K. Harada, Y. Ebina, T. Yoshimura, H. Ito, T. Ban and R. Shingai (Japan) 321

Immunocytochemical localization of the low-affinity nerve growth factor receptor ($p75^{NGFR}$) in the cuneate nucleus of the rat and its relationship to cytochrome-oxidase activity
D.P. Crockett, D.R. Foschini, W.S. Girgis and M.D. Egger (USA) 324

Cardiovascular sympathoinhibitory neurons form an extended longitudinal column in cat lateral medulla
C.W. Dempesy, D.E. Richardson and C.J. Fontana (USA) 328

Projections from the lateral division of the lateral posterior-pulvinar complex to area 21a and the striate cortex in the cat
B.M. Wimborne, R.J. McCart and G.H. Henry (Australia, USA) 333

Urinary 6-sulphatoxymelatonin excretory rhythms in laboratory rats: effects of photoperiod and light
D.J. Kennaway (Australia) 338

Rimmed vacuoles of inclusion body myositis and oculopharyngeal muscular dystrophy contain amyloid precursor protein and lysosomal markers
M. Villanova, M. Kawai, U. Lübke, S.J. Oh, G. Perry, J. Six, C. Ceuterick, J.-J. Martin and P. Cras (Belgium, Japan, USA, Italy) 343

Involvement of amyloid precursor protein in memory formation in the rat: an indirect antibody approach
G. Huber, J.R. Martin, J. Löffler and J.-L. Moreau (Switzerland) 348

Involvement of excitatory amino acids in the activity of swallowing-related neurons of the ventro-lateral medulla
J.-P. Kessler (France) 353

Author Index 358